

2013 SCN UNIFORM TEST III

Strain	FPhlm	Parentage	Previous testing	Gen. Comp.	SCN res source	Traits
1 IA3023	WLtbl	Dairyland DSR-365 x Pioneer P9381	11	F5	None	
2 IA3024	PGibl	A97-553017 x Pioneer YB33A99	6	F5	None	1% linolenic
3 IA3048	WGy	Dairyland 99540 x IA2068	3	F4	PI88788	
4 IA4005	WLtbl	IA3023 x IA3025	2	F4	None	1% linolenic
5 AR11-213003	PGibl	AR05-250118 x PI 438489B	12 SCN P II	F6	PI438489B / P 88788 IDC	
6 K10-8556	PT+Ltbl	IA3023 x LD00-3309	12 SCN P II	F4	PI88788	
7 LD08-923	WGy	LD02-6538 x LD03-7610	12 SCN P II	F5	PI88788	
8 LD08-1592	PGgr+ibl	LD03-7607 x LD00-3309	1	F5	PI88788	
9 LD08-8622	PGibl	M30121 x IA3024	1	F5	PI88788	
10 LD09-3645	WTtbl	Syngenta 02JR318004 x LD02-6538	12 SCN P II	F5	PI88788	
11 LD09-10242	PTbr	LD02-5025 x LD01-5907	12 SCN P II	F5	PI88788 / PI437654	
12 LD09-10911	PGibl	LD00-2817 x LD02-4485	12 SCN P II	F5	PI88788 / PI437654	
13 LD09-11732	PGbf	LD02-4485 x LD04-12754	12 SCN P II	F5	PI88788	
14 LD09-11822	PGbf	LD02-4485 x LD04-12754	12 SCN P II	F5	PI88788	
15 LD09-30224	PGibl	LD05-3230 x LDX07-178a-1-7	12 SCN P I	F5	PI88788	Rag1

Entry	IL SCN screening				ISU IDC	ISU IDC	SIU SDS
	HG 0		HG 2.5.7		Bruner	N. Woodruff	Valmeyer
	Fl	rating	Fl	rating	score	score	DX
1 IA3023	57	LR	51	LR	2.0	2.0	42
2 IA3024	71	NR	55	LR	2.8	2.3	47
3 IA3048	1	HR	54	LR	3.0	3.5	1
4 IA4005	63	NR	65	NR	3.0	3.0	13
5 AR11-213003	6	HR	49	LR	1.8	.	14
6 K10-8556	4	HR	55	LR	3.5	3.5	26
7 LD08-923	4	HR	65	NR	1.8	2.5	6
8 LD08-1592	3	HR	57	LR	3.0	4.0	1
9 LD08-8622	4	HR	69	NR	2.0	3.0	25
10 LD09-3645	5	HR	52	LR	1.8	.	2
11 LD09-10242	0	HR	33	MR	2.0	2.0	6
12 LD09-10911	1	HR	58	LR	2.8	3.0	8
13 LD09-11732	11	R	53	LR	2.8	2.0	9
14 LD09-11822	9	HR	64	NR	2.0	2.5	8
15 LD09-30224	1	HR	45	LR	1.5	1.0	2

A11 (res) 1.4 1.1 2 SS02-15897(res)
 Dwight (sus) 2.6 2.8 39 2900CR(sus)
 LSD 1.1 1.0 21 LSD

2013 SCN UNIFORM TEST III

Summary

Entry	Locations	Yield				Maturity date	Lodging score	Height in.	Seed			
		Infested		Non-infested					quality score	weight g/100	protein @13%	oil @13%
		bu/a	rank	bu/a	rank							
		8		6		10	13	12	12	13	9	9
1 IA3023		53.3	14	45.6	15	922	1.4	30	1.6	15.8	32.2	19.5
2 IA3024		51.1	15	48.3	12	-2	1.5	32	2.2	16.6	32.8	19.1
3 IA3048		63.5	11	45.7	14	-1	1.7	31	1.7	15.5	34.2	19.1
4 IA4005		55.3	13	55.7	2	6	1.3	30	1.6	15.1	33.9	18.5
5 AR11-213003		65.3	7	48.5	11	-3	1.6	32	1.6	15.9	34.2	18.7
6 K10-8556		66.2	5	51.5	7	3	1.8	30	1.8	16.4	32.4	19.0
7 LD08-923		62.4	12	46.3	13	0	1.7	31	2.0	15.1	32.9	19.0
8 LD08-1592		67.3	3	51.6	6	0	1.4	34	1.9	16.6	34.6	18.5
9 LD08-8622		66.0	6	56.5	1	3	1.8	34	1.8	15.9	33.4	19.4
10 LD09-3645		63.7	10	51.1	8	1	1.4	32	1.7	16.1	33.7	20.1
11 LD09-10242		63.8	9	50.0	10	-1	1.8	33	2.3	14.4	33.5	18.5
12 LD09-10911		68.3	2	53.4	3	-1	1.5	30	1.9	14.6	34.0	19.0
13 LD09-11732		65.2	8	53.3	4	0	1.6	30	1.7	14.5	32.2	19.3
14 LD09-11822		67.0	4	53.3	4	2	1.7	34	1.7	14.2	32.8	18.6
15 LD09-30224		70.5	1	50.7	9	-2	1.6	30	1.9	16.7	34.4	18.5

2 year summary

Entry	Locations	Yield				Maturity date	Lodging score	Height in.	Seed			
		Infested		Non-infested					quality score	weight g/100	protein @13%	oil @13%
		bu/a	rank	bu/a	rank							
		16		13		21	25	24	24	26	20	20
1 IA3023		48.0	5	50.5	4	921	1.5	31	1.8	15.5	32.4	19.6
2 IA3024		46.9	6	48.0	5	-2	1.4	33	2.3	16.3	33.1	19.2
3 IA3048		57.1	3	47.6	6	0	1.6	33	1.9	15.4	34.2	19.1
4 IA4005		49.1	4	57.7	1	6	1.3	31	1.7	14.7	33.9	18.8
8 LD08-1592		59.5	1	53.0	3	1	1.4	34	2.0	16.0	34.4	18.7
9 LD08-8622		58.6	2	56.8	2	3	1.8	35	1.9	15.3	33.2	19.4

2013 SCN UNIFORM TEST III

Yield (bu/a)

SCN HG Type	Yield (bu/a)													
	West											Portage-	Plain	
	Glenwood	Muscatine	Arthur	Lafayette	Manhattan	Clarkton	Herman	Peru	Urbana	Ottawa	Columbia	ville	Hoytville	City
IA	IA	IL	IN	KS	MO	NE	NE	IL	KS	MO	MO	OH	OH	
SCN HG Type	2.5.7	2.5.7	2.5.7	2.5.7	2.5.7	1.2.5.7	2.5.7	I	NI	NI	NI	NI	NI	NI
1 IA3023	73.5	32.1	64.4	53.6	36.2	20.1	85.2	61.0	63.5	36.4	43.1	26.1	51.3	50.9
2 IA3024	61.9	35.7	64.1	63.0	33.6	22.6	79.0	48.8	64.3	43.7	45.8	29.1	54.6	52.0
3 IA3048	82.5	58.0	59.6	63.7	61.4	24.7	90.9	66.8	60.2	43.9	49.0	25.6	50.9	44.3
4 IA4005	66.7	29.9	69.4	62.4	42.1	24.2	92.7	55.4	69.7	49.0	46.7	52.1	55.9	60.6
5 AR11-213003	81.0	58.4	66.1	75.2	57.4	18.4	92.5	73.5	62.1	46.7	48.6	22.3	49.9	61.7
6 K10-8556	79.5	66.0	71.5	65.3	65.9	29.9	85.5	65.8	63.1	42.2	46.6	46.6	57.8	52.9
7 LD08-923	75.4	71.4	60.1	62.4	63.4	26.9	89.6	49.7	54.6	40.5	45.9	28.5	51.5	56.8
8 LD08-1592	82.6	62.6	60.6	68.3	58.9	31.6	92.1	82.0	62.5	43.4	47.3	40.2	59.9	56.3
9 LD08-8622	90.6	47.1	74.7	71.4	58.7	32.1	88.6	65.0	68.5	54.5	44.6	51.7	59.9	59.5
10 LD09-3645	69.9	59.3	65.3	66.6	61.7	30.6	86.2	69.6	62.3	41.3	49.7	34.9	57.2	61.1
11 LD09-10242	73.5	67.8	60.1	60.5	62.0	29.5	93.4	63.9	60.3	45.3	47.0	38.0	57.0	52.2
12 LD09-10911	88.1	57.4	64.4	68.2	68.6	37.0	87.9	74.8	67.4	46.1	53.9	33.6	58.6	60.9
13 LD09-11732	80.7	65.5	65.8	64.8	64.6	22.3	78.8	79.1	69.7	44.0	44.8	33.0	59.9	68.7
14 LD09-11822	79.6	71.0	69.9	68.0	58.1	26.2	81.1	81.8	64.6	52.1	46.5	31.2	62.9	62.5
15 LD09-30224	82.3	79.8	61.8	69.8	53.6	45.4	92.4	79.2	60.1	46.4	52.1	30.6	52.7	62.4
Average	77.8	57.5	65.2	65.5	56.7	28.1	87.7	67.8	63.5	45.0	47.4	34.9	56.0	57.5
LSD(.05)	5.6	12.4	7.0	6.1	6.1	21.9	11.9	13.0	6.0	5.2	3.8	13.3	8.9	11.5
C.V. %	3.3	10.0	5.0	5.6	7.8	12.4	6.3	9.0	4.4	8.3	4.8	9.3	9.5	11.8
Replications	2	2	2	3	3	3	2	2	2	3	3	3	3	3
Row width (in.)	30	30	30	30	30	30	30	30	30	30	30	30	7.5	15

Yield (rank)

SCN HG Type	Yield (rank)													
	West											Portage-	Plain	
	Glenwood	Muscatine	Arthur	Lafayette	Manhattan	Clarkton	Herman	Peru	Urbana	Ottawa	Columbia	ville	Hoytville	City
IA	IA	IL	IN	KS	MO	NE	NE	IL	KS	MO	MO	OH	OH	
SCN HG Type	2.5.7	2.5.7	2.5.7	2.5.7	2.5.7	1.2.5.7	2.5.7	I	NI	NI	NI	NI	NI	NI
1 IA3023	11	14	8	15	14	14	12	12	7	15	15	13	12	14
2 IA3024	15	13	10	11	15	12	14	15	6	10	12	11	9	13
3 IA3048	4	10	15	10	7	10	6	8	13	9	4	14	13	15
4 IA4005	14	15	4	12	13	11	2	13	1	3	8	1	8	7
5 AR11-213003	6	9	5	1	11	15	3	6	11	4	5	15	14	4
6 K10-8556	9	5	2	8	2	6	11	9	8	12	9	3	5	11
7 LD08-923	10	2	13	12	4	8	7	14	15	14	11	12	11	9
8 LD08-1592	3	7	12	4	8	4	5	1	9	11	6	4	2	10
9 LD08-8622	1	12	1	2	9	3	8	10	3	1	14	2	2	8
10 LD09-3645	13	8	7	7	6	5	10	7	10	13	3	6	6	5
11 LD09-10242	11	4	13	14	5	7	1	11	12	7	7	5	7	12
12 LD09-10911	2	11	8	5	1	2	9	5	4	6	1	7	4	6
13 LD09-11732	7	6	6	9	3	13	15	4	1	8	13	8	3	1
14 LD09-11822	8	3	3	6	10	9	13	2	5	2	10	9	1	2
15 LD09-30224	5	1	11	3	12	1	4	3	14	5	2	10	10	3

2013 SCN UNIFORM TEST III

Maturity

	Maturity													
	West											Portage-		Plain
	Glenwood	Muscatine	Arthur	Lafayette	Manhattan	Clarkton	Herman	Peru	Urbana	Ottawa	Columbia	ville	Hoytville	City
IA	IA	IL	IN	KS	MO	NE	NE	IL	KS	MO	MO	OH	OH	
SCN HG Type	2.5.7	2.5.7	2.5.7	2.5.7	2.5.7	1.2.5.7	2.5.7	I	NI	NI	NI	NI	NI	NI
1 IA3023		10/1	9/20	9/26	9/14	9/8	10/2		9/20		9/17	9/29	9/26	9/24
2 IA3024		0	-1	-4	-5	-4	-3		-2		2	-1	0	0
3 IA3048		-3	-1	-2	3	-2	-4		-3		4	0	1	0
4 IA4005		4	10	7	6	-3	4		6		11	9	6	6
5 AR11-213003		-5	-1	-3	-4	-4	-4		-7		1	-2	-5	-3
6 K10-8556		1	7	3	7	-2	-1		4		5	-1	5	4
7 LD08-923		-1	1	0	2	0	-4		-3		6	-2	5	0
8 LD08-1592		3	1	-1	1	-3	-5		-2		6	-1	3	1
9 LD08-8622		-3	7	2	5	2	1		1		5	8	5	1
10 LD09-3645		-2	3	0	0	2	-3		0		8	-1	5	1
11 LD09-10242		2	-2	-3	2	1	-6		-5		1	-2	0	0
12 LD09-10911		2	-2	-3	1	4	-6		-3		1	-4	1	2
13 LD09-11732		-1	1	1	2	-4	-3		0		4	-4	4	1
14 LD09-11822		2	8	2	3	-2	1		3		6	-3	5	2
15 LD09-30224		2	-2	-2	-1	-3	-5		-2		0	-4	0	0
Planted	5/17	5/7	5/23	5/23	5/15	5/23	5/23	5/24	5/15	5/28	6/7	6/14	5/17	5/8

Lodging (score)

	Lodging (score)													
	West											Portage-		Plain
	Glenwood	Muscatine	Arthur	Lafayette	Manhattan	Clarkton	Herman	Peru	Urbana	Ottawa	Columbia	ville	Hoytville	City
IA	IA	IL	IN	KS	MO	NE	NE	IL	KS	MO	MO	OH	OH	
SCN HG Type	2.5.7	2.5.7	2.5.7	2.5.7	2.5.7	1.2.5.7	2.5.7	I	NI	NI	NI	NI	NI	NI
1 IA3023	2.8	1.8	2.0	1.0	1.0	1.0	1.5		1.8	1.0	1.7	1.0	1.0	1.3
2 IA3024	3.8	1.8	1.5	1.0	1.0	1.0	1.5		1.8	1.0	1.5	1.0	1.0	1.5
3 IA3048	3.3	2.5	2.0	1.3	1.0	1.0	2.0		2.3	1.0	1.7	1.0	1.0	1.4
4 IA4005	2.5	1.5	1.3	1.0	1.0	1.0	1.5		1.3	1.0	1.5	1.0	1.0	1.5
5 AR11-213003	3.0	2.0	1.5	1.0	1.0	1.0	1.5		2.5	1.0	2.7	1.0	1.0	1.7
6 K10-8556	3.8	2.3	2.8	1.2	1.0	1.0	3.0		2.5	1.0	1.5	1.0	1.0	1.3
7 LD08-923	3.3	2.0	2.0	1.0	1.3	1.0	2.0		3.5	1.0	1.5	1.0	1.0	1.8
8 LD08-1592	2.5	1.8	1.8	1.0	1.0	1.0	1.0		1.8	1.0	1.3	1.0	1.0	1.4
9 LD08-8622	3.5	2.0	2.3	1.2	1.7	1.0	2.5		2.8	1.0	1.7	1.0	1.0	1.6
10 LD09-3645	2.5	1.8	1.5	1.0	1.0	1.0	1.5		1.5	1.0	1.5	1.0	1.0	1.4
11 LD09-10242	4.3	2.0	2.3	1.0	1.7	1.0	3.0		2.3	1.0	1.5	1.0	1.0	1.8
12 LD09-10911	3.3	1.8	1.5	1.0	1.0	1.0	2.0		1.8	1.0	1.5	1.0	1.0	1.8
13 LD09-11732	3.3	1.8	2.0	1.2	1.0	1.0	3.0		1.8	1.0	1.5	1.0	1.0	1.2
14 LD09-11822	3.3	2.3	2.8	1.5	1.0	1.0	2.0		2.3	1.0	1.5	1.0	1.0	1.9
15 LD09-30224	3.5	2.5	1.5	1.0	1.0	1.0	2.0		1.5	1.0	2.0	1.0	1.0	2.0

2013 SCN UNIFORM TEST III

Height (inches)

	West														Portage-ville	Hoytville	Plain City	
	Glenwood	Muscatine	Arthur	Lafayette	Manhattan	Clarkton	Herman	Peru	Urbana	Ottawa	Columbia	MO	MO	OH				OH
	IA	IA	IL	IN	KS	MO	NE	NE	IL	KS	MO	MO	MO	OH				OH
SCN HG Type	2.5.7	2.5.7	2.5.7	2.5.7	2.5.7	1.2.5.7	2.5.7	I	NI	NI	NI	NI	NI	NI	NI			
1 IA3023	41	25	36	32	34	23			37	29	27	18	25	29				
2 IA3024	42	26	39	37	37	20			38	28	30	20	28	33				
3 IA3048	43	28	36	36	38	23			35	30	28	18	29	28				
4 IA4005	39	25	37	32	35	20			38	28	27	21	26	31				
5 AR11-213003	42	29	36	38	36	17			37	30	29	20	31	35				
6 K10-8556	39	27	37	34	36	20			36	26	27	19	27	27				
7 LD08-923	41	32	37	37	38	21			37	28	27	20	27	31				
8 LD08-1592	45	33	39	38	41	24			40	31	30	22	29	32				
9 LD08-8622	44	31	40	39	40	24			38	34	30	21	31	33				
10 LD09-3645	43	30	40	37	37	22			37	26	30	22	28	34				
11 LD09-10242	41	33	41	35	41	20			38	30	31	19	28	33				
12 LD09-10911	41	23	37	37	35	19			36	28	28	19	27	31				
13 LD09-11732	42	28	36	34	36	18			37	28	26	21	28	30				
14 LD09-11822	45	35	41	39	40	23			42	29	30	22	31	35				
15 LD09-30224	41	30	35	35	33	22			34	28	29	21	25	32				

Seed Quality (score)

	West														Portage-ville	Hoytville	Plain City	
	Glenwood	Muscatine	Arthur	Lafayette	Manhattan	Clarkton	Herman	Peru	Urbana	Ottawa	Columbia	MO	MO	OH				OH
	IA	IA	IL	IN	KS	MO	NE	NE	IL	KS	MO	MO	MO	OH				OH
SCN HG Type	2.5.7	2.5.7	2.5.7	2.5.7	2.5.7	1.2.5.7	2.5.7	I	NI	NI	NI	NI	NI	NI	NI			
1 IA3023		2.0	1.0	1.0	1.0	3.0	1.0		1.0	2.0	1.7	3.0	1.0	2.0				
2 IA3024		3.0	1.0	1.5	3.0	3.0	2.0	1.0	2.0	2.0	2.5	3.0	1.0	3.0				
3 IA3048		2.0	1.0	1.0	1.0	3.0	1.0	1.0	1.0	2.0	1.5	3.0	1.0	3.0				
4 IA4005		2.0	1.0	1.0	2.0	4.0	1.0	1.0	1.0	2.0	1.7	1.0	1.0	2.0				
5 AR11-213003		2.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	2.0	1.7	3.0	1.0	2.0				
6 K10-8556		2.0	1.0	1.0	2.0	3.0	1.0	2.0	1.0	2.0	2.0	3.0	1.0	3.0				
7 LD08-923		2.0	2.0	1.0	2.0	3.0	2.0	1.0	2.0	2.0	1.5	4.0	1.0	2.0				
8 LD08-1592		2.0	2.0	1.0	3.0	3.0	1.0	1.0	2.0	2.0	1.7	3.0	1.0	2.0				
9 LD08-8622		2.0	1.0	1.0	1.0	3.0	1.0	1.0	2.0	2.0	1.8	4.0	1.0	2.0				
10 LD09-3645		2.0	2.0	1.0	1.0	3.0	2.0	1.0	1.0	2.0	1.5	3.0	1.0	2.0				
11 LD09-10242		3.0	2.0	1.0	2.0	3.0	1.0	2.0	2.0	3.0	2.0	5.0	1.0	3.0				
12 LD09-10911		2.0	2.0	1.0	3.0	3.0	1.0	1.0	1.0	2.0	1.8	4.0	1.0	2.0				
13 LD09-11732		2.0	1.0	1.0	3.0	2.0	2.0	1.0	1.0	3.0	1.7	2.0	1.0	2.0				
14 LD09-11822		2.0	1.0	1.0	2.0	3.0	2.0	1.0	1.0	2.0	1.5	3.0	1.0	2.0				
15 LD09-30224		2.0	1.0	1.0	3.0	3.0	1.0	1.0	1.0	3.0	1.8	4.0	1.0	2.0				

2013 SCN UNIFORM TEST III

Seed Weight (g/100)

SCN HG Type	West												Portage-	Plain
	Glenwood	Muscatine	Arthur	Lafayette	Manhattan	Clarkton	Herman	Peru	Urbana	Ottawa	Columbia	ville	Hoytville	City
	IA	IA	IL	IN	KS	MO	NE	NE	IL	KS	MO	MO	OH	OH
	2.5.7	2.5.7	2.5.7	2.5.7	2.5.7	1.2.5.7	2.5.7	I	NI	NI	NI	NI	NI	NI
1 IA3023		15.7	14.3	14.7	14.5	12.7	20.3		14.1	19.6	12.9	19.6	14.6	16.6
2 IA3024		16.3	16.1	15.1	14.5	14.0	23.5	15.8	16.1	18.7	12.8	19.5	14.8	18.1
3 IA3048		17.4	13.6	15.0	14.8	13.7	20.5	14.8	13.8	16.0	14.3	18.2	14.1	15.0
4 IA4005		14.0	14.7	14.3	13.2	11.3	19.9	14.2	13.1	17.2	12.0	21.6	13.6	17.4
5 AR11-213003		16.6	14.8	15.7	16.0	15.4	20.6	14.7	14.4	17.7	12.4	19.4	13.3	16.1
6 K10-8556		18.0	15.3	15.8	14.9	16.3	21.2	15.7	15.2	18.3	12.1	20.0	14.5	16.3
7 LD08-923		17.1	12.6	14.2	15.1	16.6	19.7	14.2	13.0	15.7	12.8	18.8	12.8	13.8
8 LD08-1592		19.2	14.2	16.1	15.8	15.2	22.1	17.1	14.7	16.4	13.3	20.4	15.1	16.5
9 LD08-8622		14.4	16.8	15.8	15.2	15.6	21.4	14.7	15.0	16.2	11.9	18.7	14.3	16.8
10 LD09-3645		16.3	15.2	15.5	15.4	15.5	20.7	15.6	15.7	17.5	12.9	17.5	14.1	17.1
11 LD09-10242		15.8	13.1	14.1	14.9	13.0	19.1	14.6	12.8	14.7	11.3	15.4	13.4	14.9
12 LD09-10911		14.8	12.7	14.2	13.8	14.8	18.9	14.5	12.9	15.0	12.7	17.5	12.4	15.8
13 LD09-11732		14.3	12.3	13.5	13.2	12.2	18.6	14.7	13.1	16.2	13.0	19.3	13.1	15.6
14 LD09-11822		14.9	12.9	12.8	13.4	13.0	17.8	14.9	12.3	17.0	11.4	16.8	12.4	14.8
15 LD09-30224		18.5	13.7	15.6	16.1	17.6	22.7	16.4	14.6	19.0	12.7	19.4	13.8	16.8

Protein (%)

SCN HG Type	West												Portage-	Plain
	Glenwood	Muscatine	Arthur	Lafayette	Manhattan	Clarkton	Herman	Peru	Urbana	Ottawa	Columbia	ville	Hoytville	City
	IA	IA	IL	IN	KS	MO	NE	NE	IL	KS	MO	MO	OH	OH
	2.5.7	2.5.7	2.5.7	2.5.7	2.5.7	1.2.5.7	2.5.7	I	NI	NI	NI	NI	NI	NI
1 IA3023		32.2	32.8	32.3	32.7	28.3			31.4			34.4	31.8	33.8
2 IA3024		33.9	32.2	33.3	33.1	30.6			31.9			34.5	32.3	33.3
3 IA3048		35.3	35.6	34.3	34.2	29.6			34.1			35.7	33.6	35.3
4 IA4005		34.9	33.3	35.8	34.6	29.9			33.0			36.4	33.8	33.8
5 AR11-213003		34.6	34.4	33.9	34.8	32.4			33.7			35.0	33.9	34.6
6 K10-8556		32.7	33.1	31.9	33.5	30.4			31.1			34.0	32.5	32.6
7 LD08-923		33.6	34.9	32.2	32.4	31.1			32.1			33.8	31.8	34.6
8 LD08-1592		34.4	35.9	35.0	35.4	32.1			33.4			35.8	34.0	35.9
9 LD08-8622		34.9	32.0	34.5	33.4	30.8			33.5			34.2	32.3	35.1
10 LD09-3645		33.3	34.5	34.6	34.3	31.3			33.3				32.6	35.6
11 LD09-10242		34.5	34.2	34.2	33.9	29.2			33.0		35.0		33.1	34.4
12 LD09-10911		35.5	34.3	31.8	34.1	32.7			34.0		35.7		32.0	35.5
13 LD09-11732		32.0	31.8	32.8	33.4	30.0			30.8		33.1		31.5	34.1
14 LD09-11822		34.0	33.2	32.7	33.3	31.5			31.7		34.4		31.0	33.7
15 LD09-30224		34.5	34.7	35.2	34.1	33.4			33.5		36.2		33.0	35.2

2013 SCN UNIFORM TEST III

Oil (%)

	Oil (%)													
	West													Plain
	Glenwood	Muscatine	Arthur	Lafayette	Manhattan	Clarkton	Herman	Peru	Urbana	Ottawa	Columbia	Portage-ville	Hoytville	City
SCN HG Type	IA	IA	IL	IN	KS	MO	NE	NE	IL	KS	MO	MO	OH	OH
	2.5.7	2.5.7	2.5.7	2.5.7	2.5.7	1.2.5.7	2.5.7	I	NI	NI	NI	NI	NI	NI
1 IA3023		19.8	19.0	19.4	20.4	21.7			19.5		18.6		18.9	18.5
2 IA3024		19.1	19.0	19.0	20.6	20.6			19.4		17.4		17.9	18.5
3 IA3048		20.0	18.3	18.7	20.5	22.2			18.6		17.8		18.3	17.8
4 IA4005		18.4	18.6	17.5	19.8	21.1			18.4		16.0		18.1	18.3
5 AR11-213003		18.9	18.3	18.6	20.4	20.2			18.4		17.5		18.0	18.1
6 K10-8556		19.6	18.3	19.7	19.5	20.0			19.1		17.3		18.6	18.6
7 LD08-923		19.2	17.8	19.2	20.7	20.2			19.4		18.0		18.5	17.9
8 LD08-1592		18.2	17.1	18.8	20.1	20.5			19.2		17.0		18.2	17.4
9 LD08-8622		19.0	19.6	18.8	21.3	21.3			19.7		17.6		18.8	18.2
10 LD09-3645		20.4	19.6	19.6	21.3	21.8			20.5				19.2	18.6
11 LD09-10242		17.8	18.2	18.3	19.5	20.8			18.8		17.5		17.6	17.7
12 LD09-10911		18.1	18.7	19.4	20.5	20.0			19.2		17.6		19.4	17.8
13 LD09-11732		19.3	19.2	18.6	20.4	21.4			19.6		18.6		18.7	18.0
14 LD09-11822		18.7	18.4	18.3	20.0	20.4			18.4		17.4		18.7	17.2
15 LD09-30224		18.7	18.1	18.3	20.6	19.6			18.9		16.6		18.4	17.5